


Procedures with Parameters and Local Variables

```
int x;
int y;
void aa(int i, int z) int a; int b1; {
    a = i+z;
    b1 = i * z;
    print i;
    print z;
    print i+z;
    print a;
    print b1;
    print x;
    print y;
    x = b1;
}
x = 10;
y = 20;
aa(x,y);
print x;
```


Runtime Stack



Procedures with Parameters and Local Variables

lw	\$t0, x	aa(x, y);
lw	\$t1, y	
subu	\$sp, \$sp, 8	space for parameters
sw	\$t0, 0(\$sp)	put parameters on the stack
sw	\$t1, 4(\$sp)	
jal	aa	call the procedure
	addi\$sp, \$sp, 8	pop parameters

Runtime Stack

+16		z (from y) before call 4(\$sp)
+12		i (from x) before call 0(\$sp)
+8		b1
+4		a
\$sp		return address (address of addi \$sp,\$sp,8)

Procedures with Parameters and Local Variables

aa:

subu	\$sp, 12	Space for locals and return address
sw	\$ra, (\$sp)	
lw	\$t0, 12(\$sp)	a = i+z;
lw	\$t1, 16(\$sp)	
add	\$t2, \$t0, \$t1	
sw	\$t2, 4(\$sp)	
lw	\$t0, 12(\$sp)	b1 = i*z;
lw	\$t1, 16(\$sp)	
mul	\$t2, \$t0, \$t1	
sw	\$t2, 8(\$sp)	
lw	\$t0, 12(\$sp)	print i;
li	\$v0, 1	
move	\$a0, \$t0	
syscall		
li	\$v0, 4	
la	\$a0, _nl	
syscall		


Procedures with Parameters and Local Variables

```
lw      $t0, 12($sp)    print i+z;  
lw      $t1, 16($sp)  
add   $t2, $t0, $t1  
li      $v0, 1  
move  $a0, $t2  
syscall  
li      $v0, 4  
la      $a0, _nl  
syscall  
lw      $t0, 4($sp)    print a;  
li      $v0, 1  
move  $a0, $t0  
syscall  
li      $v0, 4  
la      $a0, _nl  
syscall
```

Procedures with Parameters and Local Variables

```
lw      $t0, y          print y;  
li      $v0, 1  
move   $a0, $t0  
syscall  
li      $v0, 4  
la      $a0, _nl  
syscall  
lw      $t0, 8($sp)    x = b1;  
sw      $t0, x  
lw      $ra, ($sp)  
addi   $sp, 12         pop local variables and return address  
jr      $ra
```

Runtime Stack



Runtime Stack

+16	20	z (from y)	b1 = i*z
+12	10	i (from x)	
+8	200	b1	
+4	30	a	
\$sp		return address (address of addi \$sp,\$sp,8)	

Runtime Stack

+16	20	z (from y)	x = b1
+12	10	i (from x)	
+8	200	b1	
+4	30	a	
\$sp		return address (address of addi \$sp,\$sp,8)	

Procedures with Parameters and Local Variables

- Where to make changes from yacc4?
 - IdList
 - Formal parameters and local variables
 - ExprResList
 - Actual parameters
 - ProcSymTab
 - SymTab Attributes
 - doRval
 - doAssign
 - Any other place you use id